

New Jersey Division of HIV/AIDS Services  
Persons Living with HIV/AIDS as of June 30, 2004  
Gloucester County Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	#	#	#	#	59	21
AIDS-CD4 Only	87	31	0	0	87	31
HIV Only	#	#	#	#	139	49
-----	-----	---	-----	---	-----	---
Total	282	100	#	#	285	100

2. Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	0	0	White, Not Hispanic	#	#	#	#	154	54
5-12	#	#	Black, Not Hispanic	#	#	#	#	93	33
13-19	#	#	Hispanic	29	10	0	0	29	10
20-29	14	5	Other/Unknown	9	3	0	0	9	3
30-39	67	24	-----	-----	---	-----	---	-----	---
40-49	129	45	Total	282	100	#	#	285	100
50+	70	25							
Unk.	0	0							
-----	-----	---							
Total	285	100							

4. Patient Group	Adult/Adolescent Transmission Modes **				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	104	50	0	0	104	37
Injection drug user (IDU)	34	16	9	13	43	15
MSM/IDU	9	4	0	0	9	3
Heterosexual contact	14	7	40	57	54	19
Risk not reported/other***	49	23	21	30	70	25
-----	-----	---	-----	---	-----	---
Total	210	100	70	100	280	100

  

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	5	100
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	5	100

NOTE: Includes only those persons known to be infected with HIV.

# Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\* Classification based on current age at the end of June 2004.

\*\* # patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
AIDS Cases Reported as of June 30, 2004  
Gloucester County Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	#	( #)	#	( #)	0	( 0)	100	( 29)
Other OI w/o PCP	#	( #)	#	( #)	0	( 0)	108	( 31)
KS Alone	11	( 3)	8	( 73)	0	( .)	11	( 3)
No Disease Listed	126	( 37)	39	( 35)	0	( .)	126	( 37)
Total	343	(100)	199	( 63)	0	( 0)	345	(100)

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl* Cases	%	Pediatric* Cases	%	Total Cases	%
Under 5	#	#	White, Not Hispanic	#	#	#	#	218	63
5-12	0	0	Black, Not Hispanic	#	#	#	#	96	28
13-19	#	#	Hispanic	28	8	0	0	28	8
20-29	56	16	Other/Unknown	#	#	#	#	#	#
30-39	143	41							
40-49	92	27	Total	343	100	#	#	345	100
Over 49	50	14							
Unknown	0	0							
Total	345	100							

4. Patient Group	Adult/Adolescent Transmission Modes **				Total	%
	Males	%	Females	%		
Men sex with men (MSM)	157	54	0	0	157	46
Injection drug user (IDU)	45	15	13	25	58	17
MSM/IDU	21	7	0	0	21	6
Heterosexual contact	17	6	28	55	45	13
Risk not reported/other***	51	18	10	20	61	18
Total	291	100	51	100	342	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	#	#	#	#	#	#
Total	#	#	#	#	#	#

# indicates that number is not shown due to small cell size,  
in accordance with NJDHSS security and confidentiality policies.

\* Classification at time of AIDS diagnosis.

\*\* 1 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
AIDS Cases Reported as of June 30, 2004  
Gloucester County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	#	#	#
1985	#	#	#
1986	12	12	100%
1987	15	15	100%
1988	13	11	85%
1989	22	21	95%
1990	17	17	100%
1991	33	32	97%
1992	21	18	86%
1993	23	16	70%
1994	29	18	62%
1995	15	5	33%
1996	25	7	28%
1997	23	7	30%
1998	17	6	35%
1999	15	7	47%
2000	14	#	#
2001	6	0	0%
2002	17	#	#
2003	21	0	0%
2004	#	#	#
-----	-----	-----	-----
Total	345	199	58%

New Jersey Division of HIV/AIDS Services  
HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004  
Gloucester County Residents

1. Age *	Cases	%	2. Race/Ethnicity	Adult/Adl* Cases	%	Pediatric* Cases	%	Total Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	82	56	0	0	82	55
5-12	0	0	Black, Not Hispanic	#	#	#	#	48	32
13-19	#	#	Hispanic	12	8	0	0	12	8
20-29	36	24	Other/Unknown	#	#	#	#	7	5
30-39	67	45	-----	-----	---	-----	---	-----	---
40-49	32	21	Total	147	100	#	#	149	100
Over 49	11	7							
Unknown	0	0							
-----	-----	---							
Total	149	100							

3. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	54	52	0	0	54	37
Injection drug user (IDU)	17	17	6	14	23	16
MSM/IDU	5	5	0	0	5	3
Heterosexual contact	#	#	#	#	25	17
Risk not reported/other***	#	#	#	#	40	27
-----	-----	---	-----	---	-----	---
Total	103	100	44	100	147	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

\* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

# indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\*\* 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services  
HIV/AIDS Cases Reported as of June 30, 2004  
Gloucester County Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	#	#	#	#	219	44
AIDS-CD4 Only	126	26	0	0	126	26
HIV Only	#	#	#	#	149	30
-----	-----	---	-----	---	-----	---
Total	489	100	5	100	494	100

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	#	#	#	#	300	61
5-12	#	#	Black, Not Hispanic	#	#	#	#	144	29
13-19	#	#	Hispanic	#	#	#	#	40	8
20-29	100	20	Other/Unknown	10	2	0	0	10	2
30-39	215	44	-----	-----	---	-----	---	-----	---
40-49	114	23	Total	489	100	5	100	494	100
Over 49	57	12							
Unknown	0	0							
-----	-----	---							
Total	494	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	211	54	0	0	211	43
Injection drug user (IDU)	62	16	19	20	81	17
MSM/IDU	26	7	0	0	26	5
Heterosexual contact	20	5	50	53	70	14
Risk not reported/other***	75	19	26	27	101	21
-----	-----	---	-----	---	-----	---
Total	394	100	95	100	489	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	5	100
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	5	100

NOTE: Includes only those persons known to be infected with HIV.

# Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\* Classification at time of first HIV+/AIDS diagnosis.

\*\* 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
HIV/AIDS Cases Reported as of June 30, 2004  
Gloucester County Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	#	#	#
1985	7	6	86%
1986	14	12	86%
1987	17	17	100%
1988	18	14	78%
1989	29	26	90%
1990	30	25	83%
1991	46	35	76%
1992	32	11	34%
1993	36	17	47%
1994	40	14	35%
1995	29	8	28%
1996	35	5	14%
1997	24	7	29%
1998	25	#	#
1999	17	#	#
2000	22	#	#
2001	16	#	#
2002	26	#	#
2003	24	0	0%
2004	5	0	0%
-----	-----	-----	-----
Total	494	209	42%